

POS Offline Mode



POS Offline Mode Overview Beginning of Guide Offline Mode DataSync Setup

1 2 3



Overview of POS Offline Mode

Network interruption or hardware failure is always a possibility with your store(s) operation and infrastructure. Unforeseen disconnects and down time can cause possible operation interruptions, data loss, and/or lost sales.

For this, FasTraxPOS has built tools to assist you in syncing databases and operations. Syncing your register's databases ensures continued operation in periods of possible network connectivity interruption.

Q: What does Offline Mode do?

A: Offline mode synchronizes the SQL database of your main register with that of supporting registers. This allows for continued operations of registers if network connectivity is interrupted.

Q: What does this exactly do to the database?

A: This creates a copied database of required static data for store/register operations.

Q: How often should this be performed?

A: Syncing can be performed manually at anytime; however, we suggest setting a scheduled task to automatically run daily.

Q: On which machine(s) should this be performed?

A: On all secondary/supporting registers - Not the main register If you have questions about applicable machines, please contact FasTrax support.

Q: How do you get to POS Offline Mode setup?

A: Simply log into the applicable secondary POS, choose the "actions" module, and select the "settings" option.

Q: Is this something FasTraxPOS Technical Support can assist me with?

A: Absolutely!

In fact, we would prefer you contact us the first time you attempt to ensure your understanding.

Q: What order should this be performed?

A: Follow the steps below for the absolute best results.

1



POS Offline Mode

Make sure the machine already has a Microsoft SQL Server instance installed under localhost\fastrax.

1. After logging into FasTrax POS, choose the "actions" module, then the "settings" option.



2. This will open the "Settings" options window.

Choose the "OFFLINE MODE SETTINGS" button located at the top-right of the window.



3. This will open the "OFFLINE MODE SETTINGS" interface.

Enter data as shown in the picture to the right.

If remote POS already had a previous installation of SQL, MAKE SURE TO USE A BLANK ILSA_SQL DATABASE and not the existing one. This can be found in the C:\Fastrax\InstallerFiles directory

Push Data To Master – used to send data from the remote register to the main database if not utilizing automatic POSDataSync utility.

Update Local DB From Master – used to update remote register's database from main database if not utilizing automatic POSDataSync utility.



POS Offline Mode | DataSync Setup

To set up automatic database updating for offline mode, please follow the steps illustrated below.



🔂 Administrative Tools						_ 8 >
🕞 🕤 🗟 🗝 Control Pa	anel + System and Security + Administrative Tools			•	Search Administrative Tools	Clos
Organize 🔻					8==	- 🗌 🔞
🖌 Favorites	Name ^	Date modified	Туре	Size		
📃 Desktop	R Component Services	5/21/2011 9:35 PM	Shortcut	2 KB		
🚺 Downloads	R Computer Management	5/21/2011 9:33 PM	Shortcut	2 KB		
🔛 Recent Places	S Connection Manager Administration Kit	5/21/2011 9:34 PM	Shortcut	2 KB		
*** 14 C - 1	Data Sources (ODBC)	5/21/2011 9:35 PM	Shortcut	2 KB		
Documents	Event Viewer	5/21/2011 9:35 PM	Shortcut	2 KB		
A Music	Internet Information Services (IIS) 6.0 M	5/21/2011 9:34 PM	Shortcut	2 KB		
Pictures	Internet Information Services (IIS) Manager	5/21/2011 9:34 PM	Shortcut	2 KB		
😸 Videos	🔝 iSCSI Initiator	5/21/2011 9:35 PM	Shortcut	2 KB		
	Local Security Policy	5/21/2011 9:35 PM	Shortcut	2 KB		
Computer	Performance Monitor	5/21/2011 9:33 PM	Shortcut	2 KB		
S (C:)	Print Management	5/21/2011 9:33 PM	Shortcut	2 KB		
HP TOOLS (E:)	💏 Services for Network File System (NFS)	5/21/2011 9:35 PM	Shortcut	2 KB		
	Services	5/21/2011 9:33 PM	Shortcut	2 KB		
👊 Network	🛃 System Configuration	5/21/2011 9:35 PM	Shortcut	2 KB		
	Task Scheduler	5/21/2011 9:35 PM	Shortcut	2 KB		
	🔐 Windows Firewall with Advanced Security	5/21/2011 9:34 PM	Shortcut	2 KB		
	📷 Windows Memory Diagnostic	5/21/2011 9:35 PM	Shortcut	2 KB		
	😹 Windows PowerShell Modules	5/21/2011 10:23 PM	Shortcut	3 KB		
click "Task Schedu	ıler"					
18 items						
🖉 Start 🏼 🏉 🖳	I				* 🍡 🐂 🕠	1:35 PM 6/9/2015

FasTrax POS

🕑 Task Scheduler				2 ×
File Action View Help				
(= =) 🖄 🖬 👔 🖬				
🕑 Task Scheduler (Local)	Name Status Triggers Next Run Time Last Run Time Last Ru	n Result Author Created	Actions	
Task Scheduler Library			Task Scheduler Library	
			🔟 Create Basic Task	
			🐌 Create Task	
			Import Task	
			Display All Running Tasks	
			👔 Disable All Tasks History	
			Mew Folder	
			View	•
	×	F	Q Refresh	
			Help	
			- ·	
		Choose "Create T	ask"	
			1:36 PM	

Task Scheduler Fie Acton View Hep Fie Acton View Hep Fie Acton View Hep Fie Task Scheduler (Local) Fi	Name Status Triggers Next Run Time Last Run Time Last Run Result Author Greated	_ [#] X
From the "General" tab, enter the information illustrated. Once entered, choose the "Change User or Group" button.	Create Task Ceneral Triggers Actions Conditions Settings Name: FasTrax DataSync Location: \ Author: HP-rp7800/FasTraxPOS Description: Security options When running the task use the following user account:	Task Scheduler Library A Import Task Ereste Task Import Task Import Task Import Task Ereste Task
	HP-rp7800/Fa3TrasPOS Change User or Group	
Arstart 🧔 🖳 📴		★ 1:38 PM s/9/2015 ■

🕑 Task Scheduler		_ <u>8</u> ×
File Action View Help		
Task Scheduler (Local)	Name Status Triggers Next Run Time Last Run Time Last Run Result Author Created	Actions
H G Task Scheduler Library		Task Scheduler Library 🔺
_	🕒 Create Task	Create Basic Task
	Select User or Group	🕭 Create Task
	Select this object type:	Import Task
_	User, Group, or Built-in security principal Diject Types	Display All Running Tasks
	From this location:	
	HP-HP7800	View New
_	Enter the object name to select (<u>examples</u>):	Refresh
_		Help
_		
noose "Advanced"	Advanced OK Cancel	
	HP-rp7800\FasTraxPOS Change User or Group	
_	Run only when user is logged on	
_	C Run whether user is logged on or not	
_	Do not store password. The task will only have access to local computer resources.	
_	Run with highest privileges	
_		
_	Hidden Configure for: Windows Vista [™] , Windows Server [™] 2008	
_	OK Cancel	
		1
Microsoft SQL Server Manag	ement Studio	1
		1:38 PM
		× 😽 🔚 🕩

🕑 Task Scheduler			
File Action View Help			
Task Scheduler (Local)	Name Status Triggers Next Run Time La	st Run Time Last Run Result Author Created	Actions
Task Scheduler Library			Task Scheduler Library
	A Frasta Tack		Create Basic Task
	Select User or Group	<u>?</u> ×	🔁 Create Task
	Select this object type:		Import Task
	User, Group, or Built-in security principal	Object Types	Display All Running Tasks
	Erom this location:		Disable All Tasks History
	HP-RP7800	Locations	New Folder
	Common Queries		View
	Mamer N. H.	Columns	Refresh
	Name. Starts with		Help
	Description: Starts with 💌	Find Now	
	Disabled accounts	Stop	
	Non expiring password	er or Group	
	Days since last logon:		
	Controls requility:	OK Cancel	
	A) In Folder		
ose "SYSTEM" then "O	/// nance HP-RP7800		
ose statem them of	Users HP-RP7800		
	Replicator HP-RP7800	Cancel	
	SQLServer20 HP-RP7800		
	SQLServerM HP-RP7800		
	SQLServerSQ HP-RP7800		
	SYSTEM		
	Reference HP-RP7800	_	
		_]]
🌌 🍂 🖉 Start			* 💦 🍋 🕦 1:39 PM

E	AR RAND		
Task Scheduler Fle Action View Help			_8>
Task Scheduler (Loca) Task Scheduler (Loca) D Task Scheduler Library	Name Status Triggers Next Run Time Last Run Result A © Create Task Select User or Group I × Select User or Group I × Select Time Localions User, Group, or Builtin security principal Direct Types Direct Types Ecoalions Fine The object name to select (examples) Ecoalions Ecoalions SYSTEM Direct Names Char © CK'' CK Cancel Char © Run only when user is logged on or not Char © Net with highest privileges Vindows Vista ¹⁺ , Windows Server ¹⁺ 2008 OK	Actions Task Schedule Create Bask Create Dask Create Dask Create Dask Create Dask Create Dask Create Dask Create Dask Composition New Folder. View Refresh File Help Help	r Library A

@ Task Scheduler	
File Action View Help	
Task Scheduler (Local) Name Status Triggers Next Run Time Last Run Result Author Created	Actions
	Task Scheduler Library 🔺
Create Task	💿 Create Basic Task
General Trippers Actions Conditions Settings	🕭 Create Task
General magers Account Conditions Seconds	Import Task
When you create a task, you can specify the conditions that will trigger the task.	Display All Running Tasks
Trigger Dataile Status	Disable All Tasks History
rigger Decano Status	New Folder
	View >
	Refresh
	P Help
Choose "Triagers" then "New "	
choose mggels then new	
New Edit Delete	
OK	
	-
	1:40 PM -
Alexandread Alexandrea	* 😼 👘 🕩 6/9/2015 💻

© Task Scheduler File Action View Help		X
From the "New Trigger" screen, enter information as illustrated. Use your current date for your "Start" date. Choose "OK" when complete.	Name Status Triggers Next Run Time Last Run Result Author Greated New Frigger Image: Status On a schedule Image: Status Image: Status	Actions Task Scheduler Library Image: Create Basic Task Import Task Display All Running Tasks Refresh Help
Arstart 🥝 🖳 买		* 🕞 🗐 🕕 1:41 PM

Elle Action View Help	_		_181×
ooco "Actions" than "N	ow. "	Status Triggers Next Run Time Last Run Time Last Run Result Author Created	Actions
Ouse Actions then in	ew		Task Scheduler Library 🔺
	🕒 Create Task	×	Create Basic Task
	General Trigge	rs Actions Conditions Settings	Create Task Import Task
	When you crea	ate a task, you must specify the action that will occur when your task starts.	Display All Running Tasks
			Disable All Tasks History
	Action	Details	Mew Folder
			View
			Help
	New	Edit Delete	
		OK Cancel	
		J.	1:41 PM
🍂 Kart 🖉			* 😼 🗐 🕖 6/9/2015 🗖
🎝 Start 🤗 👯 🕎			* 😼 🗐 🕪 6/9/2015 💻
🍂 Start 🤌 🛄			* 😼 🏣 🕪 6/9/2015 🗖
Astart 🏉 🖳 👺			â 😼 👾 (i) 6/9/2015
Astart 🍙 🖳 👺			* 13 m (b) 6/9/2015 ■
Stort C III			▲ 10 10 10 6/9/2015
Stort 🧟 🛄 👺			* 10 10 €/9/2015
Stort 🖉 🛄 👺			* 10 10 c/9/2015 ■
Stort 🖉 🔐 🥵		Trandog	* 😼 🖶 🗘 6/9/2015
Stort 🔗 🖳 👺		aTrancoo	* 🔀 🖷 🗘 6/9/2015
♥ Task Scheduler File Action View Help ♥ © FasTrax DataSync Prop	perties (Local Com	puter)	* 🔀 🕮 🗘 6/9/2015
Start C IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	perties (Local Com	puter) Settings History	* 😼 🖷 🗘 6/9/2015 🗖
Start & IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	perties (Local Com ons Conditions	puter) X ietings History Result Author Create ietings Operation - Prime 19/22 History Operation - Prime 19/22	A Ctions Task Scheduler Library Task Scheduler Library
Task Scheduler File Action View Help Task Scheduler File Action View Help Tasi General Triggers Action General Triggers Action	perties (Local Com ons Conditions 1 Creen	puter) X Settings History Author Creat atom HP-r 6/9/20	A Ctions Actions Task Scheduler Library Create Bask Task Create Task
Taak Scheduler File Action View Help Ties Action View Help Ties Control Triggers Action Ties Control Triggers Action	perties (Local Com ons Conditions 1 creen,	puter) XI Settings History Result: Author Creat ation. HP+r 69/92 Vou must specify what action this task will perform.	A tions Actions Task Scheduler Library Create Bask Task Create Bask Torre Task
Tosk Scheduler File Action View Help Dastrox DataSync Pro Tost General Triggers Action the "Edit Action" so hter information as	perties (Local Com ors Conditions 1 creen,	puter) X Settings History Result Author Creat Settings History Result Author Creat Settings History Result Author Creat Salo HP-r 6/9/20 You must specify what action this task will perform. Action: Start a program	A Ctions Actions Task Scheduler Library Create Basic Task G Create Basic Task import Task import Task import Task
Task Scheduler File Action View Help Task Scheduler File Action View Help Task General Triggers Action Task General Triggers Action om the "Edit Action" so ther information as Jstrated.	pesties (Local Com ors Conditions 1 creen,	puter) X Result Author Greats Settings History Result Author Greats Settings History Result Author Greats Vou must specify what action this task will perform. Action: Sett a program	A Ctions Actions Task Scheduler Library Create Bask Task Create Bask Task Create Task Copely Al Ruming Tasks E Disable Al Tasks History
Task Scheduler File Action View Help Task General Triggers Action Task General Triggers Action	perities (Local Com ons Conditions 1 creen,	puter) Settings History Result Author Greate Settings History Result Author Greate Settings History Result Author Greate You must specify what action this task will perform. Action: Setting You must specify what action this task will perform. Action: Setting You must specify what action this task will perform. Settings Program Y	A Ctions Actions Task Scheduler Library Create Bask Task Create Task Disple All Tasks History Subseb All Tasks History New Folder

Run End • 🖶 Disable New... Edit... Deleti Export... Properties 🗙 Delete 👔 Help Securi When SYSTE OK Cancel C Ru Run whether user is logged on or not 🔲 Do not store password. The task will only have access to local resources 🔽 Run with highest privileges <u>۔</u> 🍂 👔 🌔 * 😼 🐂 🕩 3:29 PM

For assistance with this configuration, please contact Technical Support at <u>Support@FasTraxPOS.com</u>